



Emerald Ash Borer

FAQs

1. What is the emerald ash borer (EAB)?

EAB is an exotic, invasive, wood-boring insect that infests and kills native North American ash trees, both in forests and landscape plantings.

2. Where did EAB come from?

The native range of EAB is eastern Russia, northern China, Japan and Korea.

3. What does EAB look like?

The adult beetle is dark metallic green, bullet-shaped and about 1/2 inch long and 1/8 inch wide. The body is narrow and elongated, and the head is flat with black eyes. EAB larvae are white and flat, have distinctive bell shaped segments and can grow up to 1 1/4 inches long. There are many other green insects that look similar to the adult EAB.



4. When was EAB first discovered in North America?

EAB was first identified in southeast Michigan in 2002.

5. How did it get to North America?

It most likely traveled in ash wood used for stabilizing cargo in ships or for packing consumer products.

6. Where is EAB now?

As of December 2012, EAB had been found in 18 states, including Missouri, and in two Canadian Provinces.

7. How did EAB arrive in Missouri?


Because the initial discovery of this highly destructive pest was at a campground, there is a strong indication that it probably arrived in firewood.

Homeowners

With so many threats to trees and forests in our midst, remember how easy it is to help protect your own property. Don't move firewood. Burn it where you get it.

8. Where and when was EAB found in Missouri?

EAB was first discovered near Wappapello Lake in the U.S. Army Corps of Engineers' Greenville Recreation Area in Wayne County, Mo. in July of 2008. As of December 2012, EAB has also been found in Reynolds, Madison and Platte counties.



9. How does EAB harm ash trees?

Adult females lay their eggs on the bark of ash trees. When the eggs hatch, the larvae burrow under the bark and eat the living tissue, cutting off the life-giving channels that carry nutrients, like water and sugars, to the tree. After 2 to 4 years, enough of the channels are cut off that tree starves to death.

10. How does EAB spread?

Although EAB can fly short distances on its own, much of its spread is due to humans transporting it as larvae burrowed under the bark of firewood, landscape trees and ash tree debris.

11. What is being done about EAB?

There is a national effort to limit the spread and impact of EAB. Infested areas are quarantined to prevent movement of EAB in firewood and other ash products that can carry it. Many states are educating the public on the dangers of moving firewood, the primary way EAB and many other invasive pests and diseases are spreading. Ongoing research and development of safe and effective pesticides, traps and other management strategies is taking place at state and national levels.

To report a possible EAB infestation: 1-866-716-9974

www.eab.missouri.edu

12. What is being done in Missouri?

State, federal, local agencies and groups are working together to educate the public and slow the spread of infestations. Alerting the public to the risk of moving firewood and spreading EAB is key to prevention, because this is a slow moving insect, except when people allow it to hitchhike.

13. Which trees are susceptible?

All ash species found naturally in Missouri, green, white, pumpkin and blue ash, as well as horticultural cultivars (e.g. Autumn Purple white ash or Marshall Seedless green ash) have been killed by EAB, which can infest trees ranging in size from saplings to fully mature trees in forests. While most native borers kill only severely weakened trees, EAB can also kill healthy trees, making it especially devastating.



14. Are there any areas in Missouri under quarantine?

Yes. Wayne, Madison, Reynolds, Iron, Carter, Shannon, Clay and Platte counties are quarantined to prevent the accidental spread of the beetle.

15. What does the quarantine mean?

A federal quarantine is put into place to prevent the accidental spread of the beetle. This means the interstate (between states) movement of EAB host wood and wood products – nursery stock, green lumber, waste, compost, chips of ash species and firewood of all hardwood species – from these counties is regulated. Likewise, the Missouri Department of Agriculture has enacted a state interior quarantine, which prohibits the intrastate (within state) movement of EAB regulated articles from quarantined counties.

16. What is prohibited from moving out of quarantined counties?

Regulated articles for both the federal and state quarantines are: EAB in any living state, nursery stock, green lumber, firewood of any non-coniferous (hardwood) species and other material living, dead, cut or fallen – including logs, stump roots, branches and composted and uncomposted chips – of the genus *Fraxinus*.



Emerald Ash Borer

FAQs

Homeowners

17. How do I know if I have an ash tree?

An ash tree has an opposite branching pattern (two branches come off the main stem, one on each side and directly opposite each other). Ash trees also have compound leaves with 5-11 leaflets (depending on the species of ash).

18. Are there symptoms I should look for that indicate my tree may have been attacked?

Yes. If your ash tree has sparse foliage and/or dying branches in the upper part of the tree; new sprouts on the roots, lower trunk or lower branches; or increased activity of woodpeckers on the tree, these are all symptoms the tree is stressed by something such as insects, diseases, weather or other factors. Those symptoms alone don't mean the problem is EAB.

19. Are dying ash trees always an indication of an EAB infestation?

No. Ash trees are affected by several diseases and insects. Ash trees throughout the state will exhibit dying branches and/or decline and some may show signs of heavy woodpecker damage. This may or may not be due to EAB.

20. What signs are the best evidence that EAB may be attacking my tree?

Look for 1/8 inch diameter D-shaped holes in the bark where the beetles have exited and short (3-5 inches) vertical splits in the bark that reveal S-shaped "trails" (tunnels) under the bark.

21. Is there anything I can do now to protect the ash trees in my yard from EAB?

Keeping trees vigorous and healthy with proper pruning, mulching, watering and by avoiding wounding the trees to help them resist insect attacks. Avoiding bringing firewood from other areas is one of the best ways to prevent bringing home unwanted tree pests. Watch trees closely for signs of EAB infestations.

To report a possible EAB infestation: 1-866-716-9974

www.eab.missouri.edu

22. What about insecticides?

Preventative insecticide applications are generally not recommended if known infestations are not within 15 miles of your location and/or found within your county. Premature use of insecticides is ineffective, wastes money and needlessly adds chemicals to the environment.

23. Are insecticide applications worthwhile if nearby infestations are discovered?

That is an individual decision. If your ash tree is already infested and has lost more than 50 percent of its crown (branches and foliage), it is probably too late to try to save it. Even when treatment is started early in the infestation, signs of improvement may not show until the second year of treatment, as the tree needs time to repair its vascular system. Budget, of course, is another important consideration. Most available insecticides need to be applied annually to be effective, which can be expensive.

24. If I have ash in my woods, should I be doing anything?

At this time, you need not change your scheduled timber management activities. If EAB has been found in your area, contact a forester or call (866) 716-9974.

25. Is ash still a viable choice when considering what to plant in my yard?

Because of the severe nature of the EAB threat, the wisest choice at this time is not to plant any new ash trees. In general, having a diversity of species in your yard, on your street and in your community is your best defense against all tree health problems.

26. What if I discover EAB on my trees, what should I do?

If you suspect your ash is infested, please call (866) 716-9974.

27. If my ash tree is infested, who is responsible for taking care of the tree?

The homeowner is responsible for any necessary action in regard to trees on their property.



Emerald Ash Borer

FAQs

Homeowners

28. What should I do with my ash tree after removal?

How you dispose of your ash tree depends on whether the tree is in an EAB quarantine area.

- **If EAB has not been found in your county** and you do not see evidence of EAB, you can use it at home for firewood; chipping is not necessary.
- **If EAB has not been found in your county** (i.e. no quarantine) but you DO see evidence of EAB, report it immediately to (866) 716-9974. Do not destroy the tree until it has been examined by experts.
- **If EAB has been found in your county** (quarantine in place) then check with your community to see if there is a mulch/compost site for the ash wood chips that will be processed to smaller than 1-by-1 inch in two dimensions. You can also use the tree for firewood. However, EAB larvae can survive and emerge from a firewood pile for up to two years. DON'T transport the firewood anywhere. Use it at home.

29. How can I help stop the spread of EAB?

Don't spread pests. Burn firewood where you get it. Second, don't plant ash trees. Instead, choose other large shade trees for landscaping. Be on the lookout for potential EAB infestations. Educate yourself on how to recognize signs and symptoms of EAB.



www.eab.missouri.edu
To report a possible EAB
infestation:
1-866-716-9974